JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 39

AUTHOR INDEX

		No.	Page
1.	ANDREWS, GEORGE W., Diatom floras in the Quaternary of the Göta Rivery Valley (western Sweden) (review)	3	512
2.	ARNOLD, C. A., The Miocene Trapper Creek flora of southern Idaho (review)	3	510
	BANNER, F. T., see EAMES, F. E. (25)		
	BARGHOORN, E. S., see BRUSH, GRACE S. (10)		
3.	BEUS, STANLEY S., Devonian faunule from the Jefferson Formation, central Blue Spring Hills, Utah–Idaho	1	21
	BLOW, W. H., see EAMES, F. E. (25)		
4.	BOLTOVSKOY, ESTEBAN, Twilight of foraminiferology	3	383
5.	BOSTWICK, DAVID A., and NESTELL, MERLYND K., A New species of *Polydiexodina* from central Oregon	4	611
6.	BOUCOT, A. J., JOHNSON, J. G., and WALMSLEY, V. G., Revision of the Rhipidomellidae (Brachiopoda) and the affinities of *Mendacella* and *Dalejina*	3	331
7.	BROWER, JAMES, The Genus, *Steganocrinus*	5	773
8.	BROWN, GEORGE D., JR., Trepostomatous Bryozoa from the Logana and Jessamine Limestones (Middle Ordovician) of the Kentucky Bluegrass Region	5	974
9.	BROWNE, RUTH G., Some upper Cincinnatian (Ordovician) colonial corals of north-central Kentucky	6	1177
10.	BRUSH, GRACE S., and BARGHOORN, E. S., On "The Natural relationships of some Carboniferous microspores:" A reply (discussion)	4	732
	BUDDHUE, J. D., see LANGENHEIM, R. L., JR. (65)		
11.	CHAMOT, GUY A., Permian section at Apillapampa, Bolivia and its fossil content	6	1112
12.	CHANTELL, CHARLES J., A lower Miocene *Acris* (Amphibia: Hylidae) from Colorado (paleontological note)	3	507
13.	CHEETHAM, ALAN H., and SANDBERG, PHILLIP A., Correction: Quaternary Bryozoa from Louisiana mudlumps	4	771
	CHRONIC, JOHN, see MURRAY, FREDERICK N. (83)		
	CLARK, DAVID L., see MOSHER, L. CAMERON (81)		
	CLARKE, W. J., see EAMES, F. E. (25)		
	CLEMENS, W. A., see JELETZKY, J. A. (50)		
14.	COBBAN, W. A., and JELETZKY, J. A., A New scaphite from the Campanian rocks of the Western Interior of North America	5	794
15.	COLLINSON, CHARLES, Conodonts (review)	4	738
16.	COOPER, G. ARTHUR, Response for award of the Paleontological Society Medal on 19 November, 1964 (response of medalist)	3	522
17.	COOPER, JOSEPHINE W., Translations available	1	168
18.	COUSMINER, HAROLD L., Permian spores from Apillapampa, Bolivia	6	1097
19.	COX, L. R., New names for Cretaceous rudists (Mollusca: Bivalvia) (nomenclatural note)	4	731
20.	CRONEIS, CAREY, and TOOMEY, DONALD F., Gunsight (Virgilian) wewokellid sponges and their depositional environment	1	1
21.	DALQUEST, WALTER W., New Pleistocene formation and local fauna from Hardeman County, Texas	1	63
	DANTE, JOHN H., see FRIZZELL, DON L. (29)		
22.	DRISCOLL, E. G., HALL, D. D., and NUSSMANN, D. G., Morphology and paleoecology of the brachiopod *Leiorhynchus kelloggi* Hall, Middle Devonian, Ohio, Michigan, Ontario	5	916
23.	DUNN, D. L., Late Mississippian conodonts from the Bird Spring Formation in Nevada	6	1145
24.	DUTRO, J. T., JR., Time in stratigraphy (review)	4	735
25.	EAMES, F. E., BANNER, F. T., BLOW, W. H., and CLARKE, W. J., Dating of some beds in Panama and Trinidad (discussion)	1	162
26.	EICHER, DON L., Foraminifera and biostratigraphy of the Graneros Shale	5	875
27.	ETHINGTON, R. L., Late Devonian and Early Mississippian conodonts from Arizona and New Mexico	4	566
28.	FRITZ, MADELEINE A., Bryozoan fauna from the Middle Ordovician of Mendozoa, Argentina	1	141
29.	FRIZZELL, DON L., and DANTE, JOHN H., Otoliths of some early Cenozoic fishes of the Gulf Coast	4	687
	FURNISH, W. M., see NASSICHUK, W. W. (85)		
30.	GORDON, W. A., Foraminifera from the Coralline Beds, Upper Jurassic, of Dorset, England	5	828
31.	GREEN, MORTON, New late Miocene locality in South Dakota	1	103
32.	GUPTA, BARUN K. SEN, Morphology of some key species of *Nummulites* from the Indian Eocene	1	86

33. GUTSCHICK, RAYMOND C., *Pterotocrinus* from the Kinkaid Limestone (Chester, Mississippian) of Illinois and Kentucky ... 4 636
34. HAAS, OTTO, Recent literature on Mesozoic ammonites—Part V ... 1 108
35. HAAS, OTTO, Recent literature on Mesozoic ammonites—Part VI ... 5 960
HALL, D. D., see DRISCOLL, E. G. (22)
36. HANSMAN, ROBERT H., *Brachycycloceras?* from the Pennsylvanian of Texas (paleontological note) ... 4 729
37. HAZEL, JOSEPH E., Notes on the ostracode genus *Trachyleberidea* Bowen (paleontological note) ... 3 501
38. HAZEL, JOSEPH E., Paleontologicheskiy Zhurnal: Translations by the American Geological Institute (review) ... 5 1042
39. HESSLER, ROBERT R., Lower Mississippian trilobites of the family Proetidae in the United States, Part II ... 2 248
40. HOFSTETTER, OSCAR B., III, Middle Ordovician graptolites from the Lebanon Limestone, central Tennessee (paleontological note) ... 2 287
41. HOTTON, NICHOLAS, III, Fossil vertebrates from the Late Cretaceous Lance Formation, eastern Wyoming (review) ... 3 511
42. HOWARD, HILDEGARD, First record of avian fossils from the Eocene of California ... 3 350
43. HOWE, HERBERT J., Dalmanellidae from the Montoya Group (Ordovician) of Trans-Pecos Texas ... 2 235
44. HOWE, HERBERT J., Plectambonitacea, Strophomenacea, and Atrypacea from the Montoya Group (Ordovician) of Trans-Pecos Texas ... 4 647
45. HOWE, HERBERT J., Morphology of the brachiopod genera *Rhynchotrema*, *Hypsiptycha*, and *Lepidocyclus* ... 6 1125
HOWE, W. B., see SPRENG, A. C. (114)
46. IGO, HISAYOSHI, Permian fusulinids of Nyukawa, central Japan. Part 2. Some fusulinids from the lower part of the Sote Formation ... 2 210
47. IMLAY, RALPH W., Studies zur Stammesgeschichte der Ammoniten (review) ... 3 513
48. IMLAY, RALPH W., Jurassic marine faunal differentiation in North America (presidential address) ... 5 1023
49. JELETZKY, J. A., Is it possible to quantify biochronological correlation? ... 1 135
50. JELETZKY, J. A., and CLEMENS, W. A., Comments on Cretaceous Eutheria, Lance *Scaphites*, and *Inoceramus?* ex gr. *Tegulatus* ... 5 952
JELETZKY, J. A., see COBBAN, W. A. (14)
JELINEK, GEOEGE, see LANGENHEIM, R. L., JR. (65)
51. JELL, J. S., MAXWELL, W. H. G., and MCKELLAR, R. G., The Significance of the larger Foraminifera in the Heron Island Reef sediments ... 2 273
JOHNSON, J. G., see BOUCOT, A. J. (6)
52. JOHNSON, J. HARLAN, Three Lower Cretaceous algae new to the Americas (paleontological note) ... 4 719
53. JOHNSON, J. HARLAN, Coralline algae from the Cretaceous and early Teritary of Greece ... 5 802
54. JOHNSON, RALPH GORDON, Pelecypod death assemblages in Tomales Bay, California ... 1 80
JONES, D. L., see PACKARD, E. L. (87)
55. KELLUM, LEWIS B., and STUMM, ERWIN C., Late Eocene zoogeography of the eastern Gulf Coast region (review) ... 1 166
56. KEMEŻYS, K. J., New criteria for an order of brachiopods (paleontological note) ... 3 505
57. KERNEY, M. P., Quartärmollusken der Tschechoslowakei (review) ... 4 736
58. KESLING, ROBERT V., Phenetic and phylogenetic classification (review) ... 3 516
59. KESLING, ROBERT V., Stratigraphy and life history (review) ... 3 517
60. KIER, PORTER M., Evolutionary trends in Paleozoic echinoids ... 3 436
61. KING, RALPH H., The Chonetid brachiopod *Mesolobus* and some of its species (nomenclatural note) ... 2 293
62. KOENIG, JOHN W., and MEYER, DAVID L., Two new crinoids from the Devonian of New York ... 3 391
63. KOENIG, JOHN W., Ontogeny of two Devonian crinoids ... 3 398
KONIZESKI, R. L., see WOOD, ALBERT E. (130)
64. KUENZI, W. DAVID, Early Triassic (Scythian) ammonoids from northeastern Washington ... 3 365
65. LANGENHEIM, R. L., JR., BUDDHUE, J. D., and JELINEK, GEORGE, Age and occurrence of the fossil resins bacalite, kansasite, and jelinite (paleontological note) ... 2 283
66. LA ROCQUE, A., Evolution of *Athleta petrosa* stock (Eocene, Gastropoda) of Texas (review) ... 2 298
67. LAZELL, JAMES D., JR., An *Anolis* (Sauria, Iguanidae) in amber ... 3 379
68. LERMAN, ABRAHAM, Evolution of *Exogyra* in the Late Cretaceous of the southeastern United States ... 3 414
69. LEVIN, HAROLD L., Coccolithoporidae and related microfossils from the Yazoo Formation (Eocene) of Mississippi ... 2 265
70. LING, HSIN-YI, The Tintinnid *Parafavella gigantea* (Brandt), Kofoid & Campbell, 1929, in the North Pacific Ocean (paleontological note) ... 4 721
71. LOCHMAN, CHRISTINA, Lower Ordovician (Zone D) faunules from the Williston Basin, Montana ... 3 466
72. LUNDIN, ROBERT F., A New name for *Leperditia symmetrica* Lundin, 1965 (not *Leperditia symmetrica* Holtedahl, 1914) (nomenclatural note) ... 6 1221
73. MACURDA, DONALD B., JR., The Functional morphology and stratigraphic distribution of the Mississippian blastoid genus *Orophocrinus* ... 6 1045
74. MACURDA, DONALD B., JR., Hydrodynamics of the Mississippian blastoid genus *Globoblastus* (paleontological note) ... 6 1209

75. MALONE, PHILIP G., and PERRY, T. G., Fenestellid bryozoans from oncolites in Sappington Sandstone of southwestern Montana 1 41
76. MARTIN, PAUL S., Approaches to paleoecology (review) 4 737
MAXWELL, W. H. G., see JELL, J. S. (51)
MAY, R., see MCGUGAN, A. (77)
77. MCGUGAN, A., and MAY, R., Biometry of *Anthracospirifer curvilateralis* (Easton) from the Carboniferous of southeast British Columbia, Canada 1 31
MCKELLAR, R. G., see JELL, J. S. (51)
MEYER, DAVID L., see KOENIG, JOHN W. (62)
78. MEYER, DAVID L., Plate growth in some platycrinid crinoids (paleontological note) 6 1207
79. MOORE, LESLIE R., Concerning "The natural relationships of some Carboniferous microspires" by Brush and Barghoorn (discussion) 2 296
80. MORRIS, WILLIAM J., Graphic analysis of some Miocene horse astragali from California 4 657
81. MOSHER, L. CAMERON, and CLARK, DAVID L., Middle Triassic conodonts from the Prida Formation of northwestern Nevada 4 551
82. MURPHY, JAMES L., A Pennsylvanian pelecypod retaining color markings (paleontological note) 2 280
83. MURRAY, FREDERICK N., and CHRONIC, JOHN, Pennsylvanian conodonts and other fossils from insoluble residues of the Minturn Formation (Desmoinesian), Colorado 4 594
84. MURRAY, J. W., Significance of benthic foraminiferids in plankton samples 1 156
85. NASSICHUK, W. W., and FURNISH, W. M., *Christioceras*, a new Pennsylvanian ammonoid from the Canadian Arctic (paleontological note) 4 724
NESTELL, MERLYND, K., see BOSTWICK, DAVID A. (5)
NUSSMANN, D. G., see DRISCOLL, E. G. (22)
86. OLIVER, WILLIAM A., JR., Silurian and Devonian corals of the Falls of the Ohio (review) 4 734
87. PACKARD, E. L., and JONES, D. L., Cretaceous pelecypods of the genus *Pinna* from the west coast of North America 5 910
88. PALMER, ALLISON R., Biomere—a new kind of biostratigraphic unit 1 149
89. PALMER, KATHERINE V. W., Notes on comparison of *Eutrephoceras eyerdami* Palmer, 1961 and *Cimonia hesperia* Miller and Downs, 1950 ..... 1 155
90. PARKER, FRANCES L., Correction: Foraminifera from the experimental Mohole drilling near Guadalupe Island, Mexico (correction) 2 304
PERRY, T. G., see MALONE, PHILIP G. (75)
91. PHILIP, G. M., Classification of echinoids 1 45
92. PHILIP, G. M., Plate homologies in inadunate crinoids 1 146
93. PRAKASH, UTTAM, A Survey of the fossil dicotyledonous woods from India and the Far East 5 815
94. RADER, EUGENE K., First discovery of the hollinacean ostracoda *Pseudorakverella* from the United States (Trenton Member, Martinsburg Formation, Virginia) 1 159
95. RASETTI, FRANCO, Middle Cambrian trilobites of the Pleasant Hill Formation in central Pennsylvania 5 1007
96. RAUP, DAVID M., Crystal orientations in the echinoid apical system 5 934
97. RAY, CLAYTON E., A New chipmunk, *Tamias aristus*, from the Pleistocene of Georgia (paleontological note) 5 1016
98. REXROAD, CARL B., and RICKARD, LAWRENCE V., Zonal conodonts from the Silurian strata of the Niagara Gorge (paleontological note) 6 1217
99. RICH, MARK, "Calcispheres" from the Duperow Formation (Upper Devonian) in western North Dakota 1 143
100. RICHMOND, NEIL D., Perhaps juvenile dinosaurs were always scarce (paleontologocal note) 3 503
RICKARD, LAWRENCE V., see REXROAD, CARL B. (98)
101. ROBINSON, RICHARD A., Middle Cambrian eocrinoids from western North America 3 355
102. RODDA, PETER U., Augusta H. Kemp Collection presented to the University of Texas 1 168
103. ROGERS, MARGARET JENNIFER, A Revision of the species of nonmarine Bivalvia from the Upper Carboniferous of eastern North America 4 663
104. ROSS, CHARLES A., and SABINS, FLOYD F., JR., Early and Middle Pennsylvanian fusulinids from southeast Arizona 2 173
105. ROSS, CHARLES A., and TYRRELL, WILLIS W., JR., Pennsylvanian and Permian fusulinids from the Whetstone Mountains, southeast Arizona 4 615
106. ROSS, CHARLES A., Late Pennsylvanian Fusulinidae from the Gaptank Formation, west Texas 6 1151
107. ROSS, REUBEN JAMES, JR., Early Ordovician trilobites from the Seward Peninsula, Alaska 1 17
108. RUSSELL, LORIS S., Body temperature of dinosaurs and its relationships to their extinction (paleontological note) 3 497
SABINS, FLOYD F., JR., see ROSS, CHARLES A. (104)
109. SADLICK, WALTER, Anderidium, a new term for lateral septa of chonetids (Brachiopoda) 1 157
SANDBERG, PHILIP A., see CHEETHAM, ALAN H. (13)
SANDERSON, G. A., see TOOMEY, DONALD FRANCIS (120)
110. SCHWAB, KARL W., Microstructure of some Middle Ordovician conodonts 4 590
111. SHAFFER, BERNARD L., A Measure of community organization and ecosystem maturity in the fossil record (paleontological note) 2 281
112. SLAUGHTER, BOB H., Simple reproduction of enamel patterns of equine teeth 1 165
113. SOUAYA, F. J., On the Bryozoa of Gebel Gharra (Cairo-Suez Road) and other Miocene sections in Egypt 6 1129
114. SPRENG, A. C., and HOWE, W. B., *Archaeocidaris*, correct name for new echinoid jaws 1 164

115. STEVENS, CALVIN H., Color retention in the brachiopod *Chonetinella jeffordsi* Stevens (paleontological note) 4 728
STUMM, ERWIN C., see KELLUM, LEWIS B. (55)
116. SWAIN, FREDERICK M., Remains of animals in Quaternary lake and bog sediments and their interpretation (review) 2 298
117. TEICHERT, CURT, Handbook of paleontological techniques, edited by Bernhard Kummel & David M. Raup (review) 5 1040
118. THOMAS, G. *B.*, *Delepinea* in the Lower Carboniferous of northwest Australia 1 97
119. THOMPSON, M. L., Pennsylvanian and Early Permian fusulinids from Fort St. James area, British Columbia, Canada 2 224
TOOMEY, DONALD F., see CRONEIS, CAREY (20)
120. TOOMEY, DONALD FRANCIS, and SANDERSON, G. A., A Bibliography of the family Fusulinidae, addendum 2 ..... 6 1192
121. TYLER, JOHN H., Gastropods from the Middle Devonian Four Mile Dam Limestone (Hamilton) of Michigan 3 341
TYRRELL, WILLIS W., JR., see ROSS, CHARLES A. (105)
122. VAN SANT, JAN F., *Actinocrinites grandissimus*, a new name for a camerate crinoid from Borden (lower-middle Mississippian) rocks of Indiana (paleontological note) 2 290
WALMSLEY, V. G., see BOUCOT, A. J. (6)
123. WEISBORD, NORMAN E., *Nuculana* (*Saccella*) *tacaguana*, new name for *Nuculana* (*Saccella*) *marella* Weisbord 1 164
124. WEISBORD, NORMAN E., Two new localities for the barnacle *Hexelasma antarcticum* Borradaile (paleontological note) 5 1015
125. WELBY, CHARLES W., A New Ordovician species of *Lichenaria* from Vermont (paleontological note) 2 288
126. WELLER, J. MARVIN, Presidential address: The status of paleontology (presidential address) 4 741
127. WESTERMANN, G. E. G., Septal and sutural patterns in evolution and taxonomy of Thamboceratidae and Clydoniceratidae (M. Jurassic, Ammonitina) 5 864
128. WHITMORE, FRANK C., Presentation of the Paleontological Society Medal to G. Arthur Cooper (presentation address) 3 520
129. WHITTINGTON, HARRY B., *Platycoryphe*, an Ordovician homalonotid trilobite 3 487
130. WOOD, ALBERT E., Small rodents from the early Eocene Lysite Member, Wind River Formation of Wyoming 1 124
131. WOOD, ALBERT E., and KONIZESKI, R. L., A New eutypomyid rodent from the Arikareean (Miocene) of Montana 3 492
132. YOCHELSON, ELLIS L., Announcement by International Commission of Zoological Nomenclature (summary) 1 169
133. YOCHELSON, ELLIS L., The Tentaculites of Bohemia: Their morphology, taxonomy, phylogeny and biostratigraphy (review) 3 509
134. YOCHELSON, ELLIS L., Frameworks for dating fossil man (review) 3 515
135. YOCHELSON, ELLIS L., Announcement by International Commission of Zoological Nomenclature (summary) 3 519
136. YOCHELSON, ELLIS L. Announcement by International Commission of Zoological Nomenclature (summary) 5 1039
137. ZENGER, DONALD H., Occurrence of the pelecypod *Paracyclas* in the Upper Devonian of New York State 1 153

SUBJECT INDEX

Acris: Miocene amphibian, Colorado (12)
Actinocrinites grandissimus: new name, crinoid (122)
Alaska: Ordovician trilobites (107)
Algae: Cretaceous, Venezuela, Central America, Texas (52): Cretaceous and Tertiary, Greece (53)
Allomorone americana: new genus, new combination, fish otolith (29)
Allomorone burlesonis: new genus, new species, fish otolith (29)
Alokistocare nasutum: new species, trilobite (95)
Amber (resin): occurrence in Baja California and Kansas (65); reptilian remains, Oligocene or Miocene, Mexico (67)
Ambothyris utahensis: new species, brachiopod (3)
Ammobaculites impexus: new species, foraminifer (26)
Ammobaculites mosbyensis: new species, formainifer (26)
Ammonoids: Cretaceous, Wyoming, Colorado, South Dakota, Montana, Manitoba, Saskatchewan (14); Mesozoic, recent literature (34, 35); Triassic, Washington (64); Pennsylvanian, Canada (85); Jurassic, septal and sutural patterns (127)
Amphibians: Miocene, Colorado (12); Pleistocene, Texas (21)
Amphisternina: *nom. correct. pro* Amphisternata, echinoid (91)
Amplexopora minor: new species, bryozoan (8)
Anderidium: new structural term, brachipods (109)
Anematina conica: new species, gastropod (121)
Anematina mellaria: new species, gastropod (121)
Anolis electrum: new species, lizard (67)
Anthracospirifer curvilateralis (Easton): biometric study, brachiopod (77)
Araeoplura: new name, pelecypod, *pro Stenopleura* (19)

Archaeocidaris: echinoids (114)
Argentina: Ordovician bryozoans (28)
Arikareean: Miocene, Montana, rodents (131)
Arizona: Devonian and Mississippian conodonts (27); Pennsylvanian fusulinids (104); Pennsylvanian and Permian fusulinids (105)
Arthropods: Pleistocene, Texas (21)
Atrypa oneidensis: new species, brachiopod (3)
Atrypacea: Ordovician, Texas, brachiopods (44)
Augusta H. Kemp Collection: (102)
Australia: Recent foraminifers, their distribution in Heron Island Reef sediments (51); Carboniferous brachiopods (118)
Bacalite: geographic and stratigraphic occurrence (65)
Baja California: fossil resins (65)
Barnacles: new localities, *Hexelasma antarcticum* Borradaile (124)
Bartramella paradisensis: new species, fusulinid (104)
Bauzaia lamberi: new genus, new species, fish otolith (29)
Bauzaia melrosensis: new genus, new species, fish otolith (29)
Bauzaia mucronata: new genus, new combination, fish otolith (29)
Bembexia (*Genuspira*) *nodosa:* new subgenus, new species, gastropod (121)
Biomere: new biostratigraphic unit (88)
Birds: Eocene, California (42)
Bird Spring Formation: Mississippian, Nevada, conodonts (23)
Bivalvia: see pelecypods.
Blainnia buttsi: new species, trilobite (95)
Blairella crassimarginata: new genus, new species, trilobite (95)
Blairella triangularis: new genus, new species, trilobite (95)
Blastoids: Mississippian, *Orophocrinus*, various localities (73), hydrodynamics of *Globoblastus* (74)
Bolivia: Permian section at Apillapampa, invertebrate fossils, plants (11); Permian spores (18)
Borden Group: Mississippian, Indiana, crinoids (122)
Brachiopods: Devonian, Idaho, Utah (3), *Leiorhynchus kelloggi*, morphology and paleoecology, Ohio, Michigan, Ontario (22); Rhipidomellidae, *Mendacella*, and *Dalejina*, revision and affinities (6); translations available (17); Ordovician, Texas (43, 44), taxonomy (45), Montana (71); ordinal criteria (56); *Mesolobus*, species discussed (61); Carboniferous, *Anthracospirifer curvilateralis* (Easton), biometric study, British Columbia (77); Australia (118); new structural term (109); Pennsylvanian, color retention in *Chonetinella jeffordsi*, Colorado (115)
Brachycycloceras?: occurrence in Texas, nautiloid (36)
Brachycycloceras? spectrum: new species, nautiloid (36)
Brazosiella kokeni: new genus, new species, fish otolith (29)
Brazosiella moseleyi: new genus, new species, fish ololith (29)
Bregmaceros troelli: new species, fish otolith (29)
British Columbia: Carboniferous brachiopods (77); Pennsylvanian and Permian fusulinids (119)
Bryozoans: Ordovician, Kentucky (8), Mendoza, Argentina (28); Quaternary, Louisiana (13); Devonian-Mississippian, Montana (75); Miocene, Egypt (113)
California: Eocene birds (42); Recent pelecypods (54); Miocene horses (80)
"Calcispheres": Devonian, North Dakota (99)
Cambrian: trilobites, Pennsylvania (95); eocrinoids, western North America (101)
Canada: Carboniferous brachiopods (77); Pennsylvanian ammonoids (85); Pennsylvanian and Permian fusulinids (119)
"Carapus" smithvillensis: new species, fish otolith (29)
Carbonicola sculponeata: new species, pelecypod (103)
Carboniferous: microspore relationships (10, 79); brachiopods, British Columbia (77), Australia (118); pelecypods, eastern North America (103)
Cavusgnathus muricata: new species, conodont (23)
Central America: Cretaceous algae (52)
Chonetinella jeffordsi: color retention, brachiopod (115)
Christioceras trifurcatum: new genus, new species, ammonoid (85)
Christioceratinae: new subfamily, ammonoid (85)
Cimonia hesperia: compared with *Eutrephoceras eyerdami*, nautiloid (89)
Claibornichthys troelli: new genus, new species, fish otolith (29)
Clydoniceratidae: septal and sutural patterns, ammonoids (127)
Coccolithoporids: Eocene, Mississippi (69)
Coccolithus umbilicus: new species, coccolithoporid (69)
Colorado: Miocene amphibians (12); Cretaceous ammonoids (14), foraminifers (26); Pennsylvanian conodonts, foraminifers, fish (83), brachiopods (115)
Conodonts: Mississippian, Nevada (23); Devonian and Mississippian, Arizona, New Mexico (27); Ordovician, Montana (71), microstructure (110); Triassic, Nevada (81); Pennsylvanian, Colorado (83); Silurian, Ontario, New York (98)
Corallian Beds: Jurassic, England, foraminifers (30)
Corals: Devonian, Idaho, Utah (3); Ordovician, Kentucky (9) Vermont (125)
Correlation: discussion of quantitative methods (49)
Corvina pseudoradians: new species, fish otolith (29)
Cretaceous: ammonoids, Wyoming, Colorado, South Dakota, Montana, Manitoba, Saskatchewan (14); pelecypods, new names (19); southeastern United States (68), western North America (87); foraminifers, Wyo-

ming, Colorado, Kansas, Utah (26); mammals, ammonoids, pelecypods (50); algae, Venezuela, Central America, Texas (52), Greece (53); dicotyledonous woods, India, Far East (93)
Crinoids: *Steganocrinus*, review of genus (7); Devonian, New York (62); ontogeny (63); platycrinid plate growth (78); plate homologies (92); Mississippian, Indiana (122)
Crustaesporites hessii: new species, spore (18)
Curvirimula ? corvosa: new species, pelecypod (103)
Cyathophylloides wellsi: new species, coral (9)
Cyphotrypa pachymuralis: new species, bryozoan (8)
Dalejina: biologic affinities, brachiopod (6)
Dalmanellidae: Ordovician, Texas, brachiopods (43)
Dawsonomys minor: new species, rodent (130)
Dekayella anomala: new species, bryozoan (8)
Delepinea: reported from Australia, brachiopod (118)
Delepinea uttingi: new species, brachiopod (118)
Devonian: corals, brachiopods, gastropods, trilobites, Idaho, Utah (3); *Leiorhynchus kellogii*, brachiopod, Ohio, Michigan, Ontario (22); conodonts, Arizona, New Mexico (27); crinoids, New York (62), ontogeny (63); "calcispheres," North Dakota (99); gastropods, Michigan (121); pelecypods, New York (137)
Devonian—Mississippian: bryozoans, Montana (75)
Diadematacea: superorder emended, echinoid (91)
Diceromyonia crassa: new species, brachiopod (43)
Dicotyledons: Cretaceous and Teritary, India and Far East (93)
Dictyobembix bella: new genus, new species, gastropod (121)
Dinosaurs: scarcity of juvenile forms (100); physiology related to extinction (108)
Diplododella plana: new species, conodont (83)
Dubertretia: new name, pelecypod, *pro Kelleria* (19)
Dubertretia kelleri: new genus, new species, pelecypod (19)
Duperow Formation: Devonian, North Dakota, "calcispheres" (99)
Echinoids: Paleozoic, evolutionary trends (60); classification (91); Recent, crystal orientations (96); *Archaeocidaris*, correct name (114)
Ecology and paleoecology: Permian, sponges, Texas (20), fusulinids, Japan (46); Pleistocene, Texas (21); Devonian, *Leiorhynchus kelloggi*, brachiopod, Ontario, Michigan, Ohio (22); Cretaceous, foraminfers, Wyoming, Colorado, Kansas, Utah (26); Recent, foraminifers, Heron Island Reef, Australia (51), pelecypods, California (54), foraminifers, English Channel (84); Mississippian, *Orophocrinus*, blastoid (73); Cambrian, eocrinoids, western North America (101); Pennsylvanian, fusulinids, Texas (106); community organization (111); Miocene, bryozoans, Egypt (113)
Egypt: Miocene bryozoans (113)
Elrathia grazierensis: new species, trilobite (95)
Enantiognathus inversa: new genus, new combination, conodont (81)
England: Jurassic foraminifers (30)
English Channel: Recent foraminifers (84)
Eocene: otoliths, Gulf Coast (29); foraminfers, India (32); birds, California (42); coccolithoporids, Mississippi (69); nautiloids, Washington (89); rodents, Wyoming (130)
Eocrinoids: Ordovician, Montana (71); Cambrian, western North America (101)
Eoguttulina pisiformis: new species, foraminifer (30)
Eoschubertella bluensis: new species, fusulinid (104)
Eosolea bartonensis: new genus, new combination, fish otolith (29)
Eosolea claibornensis: new genus, new species, fish otolith (29)
Eosolea texana: new genus, new species, fish otolith (29)
Eutheria: Cretaceous mammals (50)
Eutrephoceras eyerdami: Compared with *Cimonia hesperia*, nautiloid (89)
Eutypomys montanensis: new species, rodent (131)
Evolution: Paleozoic echinoids (60); *Exogyra*, pelecypod, Cretaceous (68)
Exogyra: evolution, pelecypod, Cretaceous (68)
Far East: Cretaceous and Tertiary dicotyledonous woods (93)
Fenestella sappingtonensis: new species, bryozoan (75)
Fish: Pleistocene, Texas (21); Cenozoic, Gulf Coast, otoliths (29); Miocene, South Dakota (31); Pennsylvanian, Colorado (83)
Foerstephyllum vacuum magnum: new subspecies, coral (9)
Foraminiferology: discussion of status (4)
Foraminifers (excluding fusulinids): Jurassic, England (30); Eocene, India (32); Recent, Heron Island Reef, Australia (51), English Channel (84); Pennsylvanian, Colorado (83); Miocene, Pliocene, Mexico, Mohole drilling (90); Devonian, North Dakota (99)
Four Mile Dam Limestone: Devonian, Michigan, gastropods (121)
Fusulina apachensis: new species, fusulinid (104)
Fusulina arizonensis: new species, fusulinid (104)
Fusulina bowiensis: new species, fusulinid (104)
Fusulina cedarensis: new species, fusulinid (104)
Fusulina hayensis: new species, fusulinid (104)
Fusulina mescalensis: new species, fusulinid (105)
Fusulina? occasa: new species, fusulinid (119)
Fusulina pitrati: new species, fusulinid (46)
Fusulina portalensis: new species, fusulinid (104)
Fusulina sulphurensis: new species, fusulinid (104)

Fusulinella ajaxensis: new species, fusulinid (104)
Fusualinella cabezasensis: new species, fusulinid (104)
Fusulinella? cochisensis: new species, fusulinid (104)
Fusulinella dosensis: new species, fusulinid (104)
Fusulinella keatingensis: new species, fusulinid (104)
Fusulinella nipperensis: new species, fusulinid (104)
Fusulinella oakensis: new species, fusulinid (104)
Fusulinella prospectensis: new species, fusulinid (104)
Fusulinella whitensis: new species, fusulinid (104)
Fusulinids: Permian, Oregon (5), Bolivia (11), Japan, paleoecology (46); Pennsylvanian, Arizona, stratigraphic zonation (104), Texas (106); Pennsylvanian and Permian, Arizona, stratigraphic zonation (105), British Columbia (119); bibliography (120)
Gaptank Formation: Pennsylvanian, Texas, fusulinids (106)
Gastropods: Devonian, Idaho, Utah (3), Michigan (121); Pleistocene, Texas (21); Ordovician, Montana (71)
Genartina hampshirensis: new genus, new combination, fish otolith (29)
Genartina texana: new genus, new species, fish otolith (29)
Georgia: Pleistocene rodents (97)
Glabretina andrewsi: new genus, new species, trilobite (71)
Globoblastus: hydrodynamics, blastoid (74)
Gnathodus girtyi simplex: new subspecies, conodont (23)
Gogia granulosa: new species, eocrinoid (101)
Gogia spiralis: new species, eocrinoid (101)
Gondolella constricta: new species, conodont (81)
Graham Formation: Permian, Texas, sponges (20)
Graneros Shale: Cretaceous, Wyoming, Colorado, Kansas, and Utah, foraminifers (26)
Graptolites: Ordovician, Tennessee (40), Montana (71)
Greece: Cretaceous and Tertiary algae (53)
Griffithidella newarkensis: new genus, new species, trilobite (39)
Griffithidella waverlyensis: new genus, new species, trilobite (39)
Groesbeck Formation: Pleistocene, Texas, arthropods, pelecypods, gastropods, fish, amphibians, reptiles, mammals (21)
Gulf Coast: Cenozoic otoliths (29)
Gunsight Limestone Member: Permian, Texas, sponges (20)
Haplophragmoides gilberti: new species, foraminifer (26)
Heron Island Reef: Recent foraminifers (51)
Heterorthinae: emended, brachiopods (6)
Hexelasma antarcticum Borradaile: new localities, barnacles (124)
Hibbardella acroforme: new species, conodont (81)
Hibbardella acuta: new species, conodont (83)
Hibbardella obtusa: new species, conodont (83)
Hindeodella megadenticulata: new species, conodont (83)
Hindeodella multidenticulata: new species, conodont (83)
Horses: Miocene, California, analysis of astragali (80)
Hyattechinus laudoni: new species, echinoid (60)
Hylidae: amphibian, Miocene, Colorado (12)
Hypsiptycha: morphology, brachiopod (45)
Hystricurus? sainsburyi: new species, trilobite (107)
Idaho: Devonian corals, brachiopods, gastropods, trilobites (3)
Idiognathodus meekerensis: new species, conodont (83)
Iguanidae: Oligocene or Miocene, Mexico (67)
Illinois: Mississippian crinoids (33)
India: Eocene foraminifers (32); Cretaceous and Tertiary dicotyledonous woods (93)
Indiana: Mississippian crinoids (122)
Inoceramus: taxonomic discussion, pelecypod (50)
Inoceramus dobrovi: new species, pelecypod (50)
International Commission on Zoological Nomenclature: announcements (132,135,136)
Jania dercourti: new species, alga (53)
Japan: Permian fusulinids (46)
Jefferson Formation: Devonian, Utah, Idaho, corals, brachiopods, gastropods, trilobites (3)
Jefitchia copelandi: new genus, new species, fish otolith (29)
Jelinite: geographic and stratigraphic occurrence (65)
Jessamine Limestone: Ordovician, Kentucky, bryozoans (8)
Jurassic: foraminifers, England (30); marine faunal differentiation, North America (48); ammonoids, septal and sutural patterns (127)
Kansas: Cretaceous foraminifers (26); fossil resins (65)
Kansasite: geographic and stratigraphic occurrence (65)
Kentucky: Ordovician bryozoans (8), corals (9); Mississippian crinoids (33)
Kinkaid Limestone: Mississippian, Illinois and Kentucky, crinoids (33)
Kraeuselisporites chamotii: new species, spore (18)
Lamottopora pauca: new species, bryozoan (8)
Lance Formation: Cretaceous, western North America, discussion of ammonoid occurrence (50)
Lebanon Limestone: Ordovician, Tennessee, graptolites (40)
Leiorhynchus kelloggi Hall: morphology and paleoecology, Devonian brachiopod (22)

Leperditia copelandi: new name, ostracod (72)
Leperditia symmetrica Lundin: replaced name, ostracod (72)
Lepidocyclidae: family emended, brachiopod (45)
Lepidocyclus: morphology, brachiopod (45)
Lichenaria: Ordovician, Vermont, coral (125)
Leichenaria robertsi: new species, coral (125)
Lithophyllum quadraugulum hellenica: new variety, alga (53)
Lithophyllum? venezuelaensis: new species, alga (52)
Logana Limestone: Ordovician, Kentucky, bryozoans (8)
Lonchodina megacuspata: new species, conodonts (83)
Lonchodina singularis: new species, conodont (83)
Louisiana: Quaternary bryozoans (13)
Lovenechinus gordoni: new species, echinoid (60)
Lycospora variabila: new species, spore (18)
Lysite Member: Eocene, Wyoming, rodents (130)
Mammals: Pleistocene, Texas (21); Miocene, South Dakota (31); Cretaceous, various localities (50); Miocene, California (80)
Manitoba: Cretaceous ammonoids (14)
Marginulina oxfordiana: new species, foraminifer (30)
Martinsburg Formation: Ordovician, Virginia, ostracods (94)
Massilina redcliffensis: new species, foraminifer (30)
Mastigograptus macrotheca montanensis: new subspecies, graptolite (71)
Mendacella: biologic affinities, brachiopod (6)
Mendoza: Ordovician bryozoans (28)
Meridosternina: *nom. correct. pro* Meridosternata, echinoid (91)
Mesolobus: species discussed, brachiopod (61)
Mesozoic: ammonoids, recent literature (34,35)
Metalonchodina fragilis: new species, conodont (83)
Mexico: Oligocene or Miocene reptiles (67); Miocene, Pliocene foraminifers (90)
Michigan: Devonian brachiopods (22), gastropods (121)
Microspores: Carboniferous, relationships discussed (10, 79)
Minturn Formation: Pennsylvanian, Colorado, conodonts, foraminifers, fish (83)
Miocene: amphibians, Colorado (12); fish, reptiles, mammals, South Dakota (31); reptiles, Mexico (67); horses, California (80); foraminifers, Mohole drilling, Mexico (90); bryozoans, Egypt (113); rodents, Montana (131)
Miocidaris connorsi: new species, echinoid (60)
Mississippi: Eocene coccolithoporids (69)
Mississippian: conodonts, Nevada (23), Arizona, New Mexico (27); crinoids, Illinois, Kentucky (33), Indiana (122); trilobites, United States (39); blastoids, *Orophocrinus*, various localities (73), *Globoblastus*, hydrodynamics (74)
Mohole drilling: Miocene, Pliocene, foraminifers (90)
Montana: Cretaceous ammonoids (14); Ordovician brachiopods, gastropods, trilobites, graptolites, conodonts, eocrinoids (71); Devonian—Mississippian bryozoans (75); Miocene rodents (131)
Montoya Group: Ordovician, Texas, brachiopods (43,44)
Mourlonia lirata: new species, gastropod (121)
Murchisonia (Murchisonia) subulata: new species, gastropod (121)
"*Myctophum*" *americanum:* new species, fish otolith (29)
Nannoplankton: Eocene, Mississippi (69)
Nautiloids: Pennsylvanian, Texas (36); Eocene, Washington (89)
Nellia oculata kostandii: new species, bryozoan (113)
Nevada: Mississippian conodonts (23); Triassic conodonts (81)
New Mexico: Devonian and Mississippian conodonts (27)
New York: Devonian crinoids (62), pelecypods (137); Silurian conodonts (98)
Niobella kanauguki: new species, trilobite (107)
North America: Jurassic marine faunal differentiation (48); Cretaceous pelecypods (87); Cambrian eocrinoids (101); Carboniferous pelecypods (103)
North Dakota: Devonian "calcispheres" (99)
Nuculana (Saccella) marella: suppressed name, pelecypod (123)
Nuculana (Saccella) tacaguana: new name, pelecypod (123)
Nummulites: morphology, foraminifer (32)
Ohio: Devonian brachiopods (22)
Olenoides buttsi: new species, trilobite (95)
Olenoides pennsylvanicus: new species, trilobite (95)
Oligocene: Panama, Trinidad, dating of strata (25); otoliths, Gulf Coast (29); reptiles, Mexico (67)
Onniella plicata: new species, brachiopod (43)
Onniella quadrata variata: new subspecies, brachiopod (43)
Ontario: Devonian brachiopods (22); Silurian conodonts (98)
Ontogeny: Devonian crinoids (63)
Ordovician: bryozoans, Kentucky (8), Mendoza, Argentina (28); corals, Kentucky (9); Vermont (125); graptolites, Tennessee (40); brachiopods, Texas (43,44), taxonomy (45); ostracods, Virginia (94); trilobites, Alaska (107), *Platycoryphe* (129); conodonts, microstructure (110)
Oregon: Permian fusulinids (5)
Orophocrinus: morphology, stratigraphic distribution, and paleoecology, blastoid (73)
Orophocrinus celticus: new species, blastoid (73)

Orophocrinus saltensis: new species, biastoid (73)
Ostracods: *Trachyleberidea* (37); Ordovician, Virginia (94)
Otoliths: Cenozoic, Gulf Coast (29)
Pacific Ocean: Recent tintinnids (70)
Palaechinus merriami: new species, echinoid (60)
Paleogeography: Triassic, western North America (64)
Paleontological Society Medal: presentation to G. Arthur Cooper (128)
Paleontology: content, status, and other philosophical aspects (126)
Paleozoic: echinoids, evolutionary trends (60)
Panama: dating of beds (25)
Paracyclas: occurrence in New York, pelecypod (137)
Parafavella gigantea: occurrence in Pacific Ocean, tintinnid (70)
Parafusulina sublineata: new species, fusulinid (46)
Parafusulina takanoe: new species, fusulinid (46)
Parbatmya brazosensis: new genus, new species, fish otolith (29)
Parbatmya fornicata: new genus, new combination, fish otolith (29)
Pelecypods: Cretaceous, new names (19), evolution (68), western North America (87); Pleistocene, Texas (21); Recent, California (54); Pennsylvanian, color retention in shell (82); Carboniferous, eastern North America (103); Pliocene, Venezuela, new and suppressed name (123); Devonian, New York (137)
Pennsylvania: Cambrian trilobites (95)
Pennsylvanian: nautiloids, Texas (36); pelecypods, color retention in shell (82); conodonts, foraminifers, fish, Colorado (83); ammonoids, Canada (85); fusulinids, Arizona (104), Arizona (105), Texas (106), British Columbia (119); brachiopods, Colorado (115)
Perischoechinacea: superorder emended, echinoid (91)
Permian: fusulinids, Oregon (5), Japan (46), Arizona (105), British Columbia (119); spores, Bolivia (18); sponges, Texas (20)
Phymosomina: suborder emended, echinoid (91)
Pinna: Cretaceous, western North America, pelecypod (87)
Pinna alaskana: new species, pelecypod (87)
Pinna kotsinensis: new species, pelecypod (87)
Platyceras (Euthyrachis) indianensis: new subgenus, new combination, gastropod (121)
Platyceras (Orthonychia) variablis: new species, gastropod (121)
Platycoryphe: trilobite, discussion (129)
Pleasant Hill Formation: Cambrian, Pennsylvania, trilobites (95)
Plectambonitacea: Ordovician, Texas, brachiopods (44)
Plectofusulina portalensis: new species, fusulinid (104)
Pleistocene: arthropods, pelecypods, gastropods, fish, amphibians, reptiles, mammals, Texas (21); rodents, Georgia (97)
Pliocene: foraminifers, Mohole drilling, Mexico (90); pelecypods, Venezuela (123)
Polydiexodina: first reported occurrence in Oregon, fusulinid (5)
Polydiexodina oregonensis: new species, fusulinid (5)
Polytaxicidaris lirata: new species, echinoid (60)
Preophidion petropolis: new genus, new species, fish otolith (29)
Preophidion stintoni: new genus, new species, fish otolith (29)
Prida Formation: Triassic, Nevada, conodonts (81)
Proetidae: Mississippian, United States, trilobites (39)
Profusulinella walnutensis: new species, fusulinid (104)
Profusulinella whitetailensis: new species, fusulinid (104)
Pronechinus anatoliensis: new genus, new species, echinoid (60)
Protosternina: *nom. correct. pro* Protosternata, echinoid (91)
Protostrix californiensis: new species, bird (42)
Pseudofusulina isomie: new species, fusulinid (46)
Pseudorakverella: first reported from United States, ostracod (94)
Pseudorakverella altalirata: new species, ostracod (94)
Pseudostaffella sandersoni: new species, fusulinid (119)
Pterotocrinus: Kinkaid Limestone (Chester, Mississippian) of Illinois and Kentucky, crinoid (33)
Pterotocrinus edestus: new species, crinoid (33)
Pterotocrinus pegasus: new species, crinoid (33)
Pterotocrinus tridecibrachiatus: new species, crinoid (33)
Pterotocrinus wanlessi: new species, crinoid (33)
Punctatisporites minutiarcus: new species, spore (18)
Quasifusulina americana: new species, fusulinid (119)
Quasifusulina popensis: new species, fusulinid (119)
Quaternary: bryozoans, Louisiana (13)
Recent: foraminifers, Heron Island Reef, Australia (51), English Channel (84); pelecypods, California (54); tintinnids, Pacific Ocean (70); echinoids, crystal orientations (96)
Reef: distribution of Recent foraminifers, Heron Island Reef, Australia (51)
Reptiles: Pleistocene, Texas (21); Miocene, South Dakota (31); Oligocene or Miocene, Mexico (67)
Resin (amber): occurrence in Baja California and Kansas (65)
Retha: new name, pelecypod, *pro Ethra* (19)
Reviews: (1,2,15,24,38,41,47,55,57,58,59,66,76,86,116 117,133,134)
Rhabdosphaera spinula: new species, coccolithoporid (69)
Rhipidomellidae: revision, brachiopods (6)
Rhipidomellinae: emended, brachiopods (6)

Rhynchotrema: morphology, brachiopod (45)
Rhynchotrematidae: family emended, brachiopod (45)
Richterella hindsvillensis: new genus, new species, trilobite (39)
Richterella mauvaisensis: new genus, new species, trilobite (39)
Richterella snakedenensis: new genus, new species, trilobite (39)
Rodents: Pleistocene, Georgia (97); Eocene, Wyoming (130); Miocene, Montana (131)
Saffordophyllum floweri: new species, coral (9)
Salpingoporella texana: new species, alga (52)
Sappington Formation: Devonian—Early Mississippian, Montana, bryozoans (75)
Saskatchewan: Cretaceous ammonoids (14)
Scaphites: occurrence in Lance Formation, Cretaceous, western North America, ammonoid (50)
Scaphites (Hoploscaphites) gilli: new species, ammonoid (50)
Schizoretopora vigneauxi: new species, bryozoan (113)
Schubertella popensis: new species, fusulinid (119)
Schubertella whetensis: new species, fusulinid (105)
Schwagerina hawkinsiformis: new species, fusulinid (46)
Schwagerina ishiie: new species, fusulinid (46)
Scutellina: suborder emended, echinoid (91)
Signata nicoli: new genus, new species, fish otolith (29)
Signata stenzeli: new genus, new species, fish otolith (29)
Silurian: conodonts, Ontario, New York (98)
Solenopleurella elatifrons: new species, trilobite (95)
Solenopleurella transversa: new species, trilobite (95)
Sote Formation: Permian, Japan, fusulinids (46)
South Dakota: Cretaceous, ammonoids (14); Miocene fish, reptiles, mammals (31)
Spathognathodus coloradoensis: new species, conodont (83)
Sponges: Permian, Texas (20)
Spores: Permian, Bolivia (18)
Steganocrinus: review of genus, crinoid (7)
Steganocrinus altus: new species, crinoid (7)
Steganocrinus burlingtonensis: new species, crinoid (7)
Steganocrinus longus: new species, crinoid (7)
Steganocrinus multistriatus: new species, crinoid (7)
Steganocrinus planus: new species, crinoid (7)
Steganocrinus robustus: new species, crinoid (7)
Stigmatella conica: new species, bryozoan (8)
Stigmatella multispinosa: new species, bryozoan (8)
Streblocrinus brachiatus: new genus, new species, crinoid (62)
Strophomenacea: Ordovician, Texas, brachiopods (44)
Strotersporites apillapampaensis: new species, spore (18)
Tamias aristus: new species, rodent (97)
Techniques: reproduction of teeth enamel patterns (112)
Tennessee: Ordovician graptolites (40)
Tertiary: algae, Greece (53); dicotyledonous woods, India and Far East (93)
Texas: Permian sponges (20); Pleistocene arthropods, pelecypods, gastropods, fish, amphibians, reptiles, mammals (21); Pennsylvanian nautiloids (36), fusulinids (106); Ordovician brachiopods (43,44); Cretaceous algae (52)
Thaerodonta magna: new species, brachiopod (44)
Thaerodonta mucronata: new species, brachiopod (44)
Thaerodonta mucronata scabra: new subspecies, brachiopod (44)
Thamboceratidae: septal and sutural patterns, ammonoids (127)
Thigriffides? ameuroides: new genus, new species, trilobite (39)
Tintinnids: Recent, Pacific Ocean (60)
Trachyleberidea: discussion, ostracod (37)
Translations: (17)
Trenton Member: Ordovician, Virginia, ostracods (94)
Trepospira (Angyomphalus) bella: new species, gastropod (121)
Tretonea pooleyi: new species, bryozoan (113)
Triassic: ammonoids, Washington (64); conodonts, Nevada (81)
Trilobites: Devonian, Idaho, Utah (3); Mississippian, United States (39); Ordovician, Montana (71), Alaska (107), *Platycoryphe,* discussion (129); Cambrian, Pennsylvania (95)
Trinidad: dating of beds (25)
Triticites acutuloides: new species, fusulinid (106)
Triticites asperoides: new species, fusulinid (106)
Triticites bensonensis: new species, fusulinid (105)
Triticites cameratoides: new species, fusulinid (106)
Triticites capaxoides: new species, fusulinid (106)
Triticites celebroides: new species, fusulinid (106)
Triticites confertoides: new species, fusulinid (106)
Triticites coronadoensis: new species, fusulinid (105)
Triticites elegantoides: new species, fusulinid (106)
Triticites marathonensis: new species, fusulinid (106)
Triticites mcgrewensis: new species, fusulinid (105)
Triticites moorensis: new species, fusulinid (106)

Triticites nealensis: new species, fusulinid (106)
Triticites pinchiensis: new species, fusulinid (119)
Triticites southensis: new species, fusulinid (105)
Triticites stuartensis: new species, fusulinid (119)
Triticites whetstonensis: new species, fusulinid (105)
Trochammina rutherfordi mellariolum: new subspecies, foraminifer (26)
Trochamminoides apricarius: new species, foraminifer (26)
Turbinilopsis anacarina: new species, gastropod (121)
Tylthocrinus arcarius: new species, crinoid (62)
United States: Mississippian trilobites (39); Cretaceous pelecypods (68); Ordovician ostracods (94)
Utah: Devonian corals, brachiopods, gastropods, trilobites (3); Cretaceous foraminifers (26)
Vaginulina barnardi: new species, foraminifer (30)
Vaginulina striatoides: new name, foraminifer (30)
Venezuela: Cretaceous algae (52); Pliocene pelecypods (123)
Vermont: Ordovician coral (125)
Verneuilina alameda: new species, foraminifer (26)
Virginia: Ordovician ostracods (94)
Washington: Triassic ammonoids (64); Eocene nautiloids (89)
Wedekindellina cabezasensis: new species, fusulinid (104)
Wedekindellina pseudomatura: new species, fusulinid (105)
Wewokella: genus emended, sponge (20)
Wewokella solida: species emended, sponge (20)
Wewokellida new order, sponge (20)
Wind River Formation: Eocene, Wyoming, rodents (130)
Wyoming: Cretaceous ammonoids (14), foraminifers (26); Eocene rodents (130)
Yazoo Formation: Eocene, Mississippi, coccolithoporids (69)
Zygospira resupinata multicostata: new subspecies, brachiopod (44)
Zygospira sulcata: new species, brachiopod (44)